

Material Safety Data Sheet (MSDS)

Report No.: YB230601151JS-MSDS-B1

MSDS NO. : YB230601151JS-MSDS-B1

Applicant : DOMOTI VAD

ZONE DE LA BOUVERNE

Address 16 AVENUE INDUSTRIELLE

59520 MARQUETTE-LEZ-LILLE

FRANCE

Manufacturer : MAIL ORDER SOURCE LTD.

6/F Luk Kwok Centre,

Address : 72 Gloucester Road,

Wan Chai, Hong Kong

EUT : STICK DEBOUCHEUR

Brand Name: : N/A

Model : REF: 5698014/115641

Date of Report : June 30, 2023

Prepared by(Engineer): Nina Deng

Reviewer(Supervisor): Jack Li

Approved(Manager): Eric Sang

This test report is based on a single evaluation of one sample of above mentioned products. It is not permitted to be duplicated in extracts without written approval of Shenzhen Youbest Testing Technology Co., Ltd.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 1 of 8



Material Safety Data Sheet

Report No.: YB230601151JS-MSDS-B1

Section 1 - Chemical Product and Company Identification

Product name: STICK DEBOUCHEUR

Brand Name: N/A

Manufacturer: MAIL ORDER SOURCE LTD.

Address: 6/F Luk Kwok Centre,

72 Gloucester Road,

Wan Chai, Hong Kong

Post code: 999077

Email: /

Tel: 0574-87423391

Fax: /

MSDS Number: YB230601151JS-MSDS-B1

MSDS Date: June 30, 2023

Section 2 - Hazards Identification

<u>Classification according to GHS: Not a dangerous substance according to GHS.</u>
GHS Label elements, including precautionary statements:

Classification according to Regulation (EC) No 1272/2008:

In accordance with Regulation (EC) No. 1272/2008, the sample is not divided into dangerous article.

Classification of Danger Other information: See section 14.

Skin contact: No known significant effects or critical hazards.

Inhalation: Low hazard for usual industrial handling.

Ingestion: It can cause our stomach upset if we swallowed.

Environment hazards: No known significant effects or critical hazards.

Burn & burst danger: The sample nonflammable.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 2 of 8



Section 3 - Composition/Information on Ingredient

Report No.: YB230601151JS-MSDS-B1

Composition:

Pure ☐ Admixture ☒

Chemical composition	CAS No.	Contents (%)
calcium carbonate	471-34-1	70-80
n-Ethyl propanoate	105-37-3	10-15
Poly(vinyl alcohol)	9002-89-5	6-8
Glycerol	56-81-5	5-7
Triallyl isocyanurate	1025-15-6	2-3

Gazette Ref. No.: CSCL/ISHL (6)-553, CSCL/ISHL (2)-1036

CSCL: chemical substance control law, ISHL: Industrial safety & Health law

Section 4 - First Aid Measures

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Without any discomfort after skin contact. Low hazard for usual industrial handling.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Get medical attention immediately

Section 5 – Fire Fighting Measures

Flash point: 302°F (150 °C)

Autoignition temperature: 392 °F(200 °C)

Flammable/Explosive limits-lower %: Not available Flammable/Explosive limits-upper %: Not available

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out goar.

protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 3 of 8



Section 6 – Accidental Release Measures

Report No.: YB230601151JS-MSDS-B1

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Extinguishing media:

Foam, dry chemical or carbon dioxide.

Section 7 - Handling and Storage

Handling:

Job site should keep ventilation. Keep away from heat. Sealed container when not using. Reduce dust accumulation. Avoid eye contact. Avoid breathing dust. Wash with soap and water after contact. Equipped with corresponding variety and quantity of fire equipment and leakage emergency treatment equipment.

Storage:

Stored in a low temperature, dry, well ventilated environment. Avoid direct sunlight. Store away from food and water, wash your hands thoroughly before eat bread or drink water. Keep away from fire and heating sources. Equipped with corresponding varieties and number of fire equipment. Storage areas should be equipped with leakage emergency treatment equipment and suitable for accept materials.

Loading/Unloading Temperature: [Ambient]
Transport Temperature: [Ambient]

Section 8 – Exposure Controls /Personal Protection

Engineering Controls:

N/A

Personal Protection:

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 4 of 8



Section 9 – Physical And Chemical Properties

Report No.: YB230601151JS-MSDS-B1

Typical physical and chemical properties are given below. Consult the Supplier in Section 1 for additional data.

General Information:

Physical State: Solid

Colour Multi-colored

Odour: Characteristic odor

Important Health, Safety, And Environmental Information:

Relative Density (at 18 °C)): N/A
Density (at 18 °C): N/A

Flash Point [method]: 302°F (150 °C)

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Autoignition Temperature: 392°F(200 °C)

Boiling Point / Range:

Vapour Density (Air = 1):

Vapour Pressure:

Evaporation Rate (N-Butyl Acetate = 1):

PH:

Log Pow (n-Octanol/Water Partition Coefficient):

N/A

Solubility in Water: water-soluble

Section 10 - Stability And Reactivity

Stability: Stable under normal conditions of storage and use.

Hazardous polymerization: May occur.

Hazardous decomposition products: Oxides of carbon. Oxides of nitrogen.

Dimethylamine. Irritating organic vapors.

Incompatibility: Strong acids. Strong oxidizing agents. Bases.

Conditions to avoid: Heat, flames, sparks and other sources of ignition.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 5 of 8



Section 11 –Toxicological Information

Route of Exposure Conclusion / Remarks

Inhalation Avoid inhale volatile substances

Ingestion Toxicity:

Drink plenty of water to induce vomiting, and

then see a doctor.

Skin Toxicity: Not classified.

Irritation: Low irritant

Avoid contact with eye skin, such as

Eye Irritation: splashing in eye, rinse eye under running

water, then seek medical attention

Report No.: YB230601151JS-MSDS-B1

Section 12 – Ecological Information

The information given is based on data available for the material, the components of the material, and similar materials.

Ecotoxicity

Material -- Not expected to be harmful to aquatic organisms.

Material -- Not expected to be harmful to terrestrial organisms.

Section 13 – Disposal Considerations

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Disposal Recommendations

Suitable routes of disposal are supervised incineration, preferentially with energy recovery, or appropriate recycling methods in accordance with applicable regulations and material characteristics at the time of disposal.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 6 of 8



Section 14 – Transport Information

Report No.: YB230601151JS-MSDS-B1

LAND: Not Regulated for Land Transport.

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code.

Shipping descriptions per regulatory authority

US dot: Not regulated as a hazardous material or dangerous goods for transportation.

ICAO/IATA: No applicable

IMO/IMDG: Not regulated as a hazardous material or dangerous goods for transportation.

Number of dangerous goods: No applicable.

Proper shipping name: N/A

Class or division: N/A

UN Number: N/A

Packaging Mark: No specific data.

Packaging Method: packed in boxes

Packaging Information: Sealed.

Transport Fashion: By Air, Rail, Sea, Highway.

Section 15 – Regulatory Information

Material is not hazardous as defined by the EU Dangerous Substances/Preparations Directives.

European/International Regulations

European Labeling in Accordance with EC Directives

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- •MAK(German Maximum Workplace Concentration): None of the ingredients is listed.
- -Directive 2012/18/EU
- Named dangerous substances-ANNEXI:None of the ingredients is listed.
- Seveso category: Not applicable
- -Qualifying quantity(ones)for the application of lower-tier requirement: Not applicable
- -Qualifying quantity(ones)for the application of lower-tier requirement: Not applicable
- ·National regulations
- -Water hazard class: Water hazard class 1 (German Regulation) (self-assessment): Slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- SVHC Candidate list of REACH Regulation Annex XIV Authorization(16/6/2014):None of the ingredients is listed.
- REACH Regulation Annex XVII Restriction(8/5/2014): None of the ingredients is listed.
- REACH Regulation Annex XIV Authorization List(14/8/2014): None of the ingredients is listed.
- Chemical safety assessment: A chemical Safe Assessment has not been carried out.

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 7 of 8



Section 16 -Other information

Report No.: YB230601151JS-MSDS-B1

N/D = Not determined, N/A = Not applicable

The above information is based on the data of which we are aware and is believed to be correct as of

the data hereof. Since this information may be applied under conditions beyond our control and with

which may be unfamiliar and since data made available subsequent to the data hereof may suggest

modifications of the information, we do not assume any responsibility for the results of its use. This

information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

**** END OF REPORT ****

MSDS Report Tel: 400-168-1910 Web: www.youbest-lab.com Page 8 of 8